



Job No. _____

Item No. _____

Quantity _____

A/A File No. 35-C111

SR62G

Super Runner Gas Fryer



SR62G gas fryer standard with 150,000 BTU (37,783 kcal/hr.) (44 kW) burners and 60-75 lbs. (34-42 L) oil capacity. Shown with optional casters.

Basic Frying At Its Best

Designed For All-Purpose Usage

Maximize your profits - combine more efficiency with more capacity in this all-purpose, affordable fryer, with a 60-75 lb. (34-42L) oil capacity.

Fry a wide variety of products - the full size 18" x 18" (46 x 46 cm) fry area with a 4.50" (11.43 cm) cooking depth easily accommodates items from french fries to large size menu selections.

Make the most of your energy dollars with our exclusive Thermo-Tube design. The heating tubes are surrounded by oil, and heat absorption is maximized with controlled flow tube diffusers. As a result, the gas flame is efficiently transferred into the oil with minimal energy loss. Sloped bottom with 1.25" (3.175 cm) drain valve makes cleaning fast and easy.

- Quick heat-up time relative to gas consumption.
- Low idle cost per hour during slow periods.
- Low gas consumption per load of product cooked.

Minimize costly oil usage - utilizes up to 75 lbs. (42 L) of oil for optimum cooking efficiency. Plus, Dean's cool zone design reduces oil deterioration by trapping debris under the cooking area, preventing carbonization of particles and oil contamination.

Assure rapid recovery - Dean's accurate mechanical thermostat eliminates time lost in waiting between loads and requires no electrical hookup.

Invest in a product built to last - Dean fryers achieve long and dependable life through simplicity of design -- durable stainless steel diffusers and rugged cast iron burners keep maintenance to a minimum. Shipped standard with stainless steel tank, front, door, backsplash/flue cover, and aluminized sides.




ISO 9001:2000



SR62G

Super Runner

Gas Fryer



SPECIFICATIONS

Min./Max. Oil Capacity	Size (cm)				Drain Valve (cm)	Drain Valve Height (cm)	No. of Tubes	Frying Area (cm)	Approximate Shipping Dimensions				
	Width	Depth	Overall Height	Work Height					Class	Shipping lbs./cu.ft. (kg/m ³)	Dimensions (cm)		
60-75 lbs. (34-42 L)	20" (51)	35.50" (91)	45" (114)	35" (89)	1.25" (3.175)	19.75" (50)	5	18 x 18" (46 x 46)	85	255 lbs./28 (116/0,79)	H 48.5" (123)	W 20.5" (52)	L 36" (91)

POWER REQUIREMENTS

Natural or LP Gas Input Rating	Gas Connection	Electrical Requirement
150,000 BTU/hr. (37,783 kcal/hr.) (44 kW)	3/4" N.P.T. regulator not required	NONE

SHORT FORM SPECIFICATIONS

Shall be DEAN free-standing cool zone deep fat fryer, Model SR62G. Only 20" (51 cm) wide, 60-75# (34-42 L) oil capacity, requiring 150,000 BTU (37,783 kcal/hr.) (44 kW) natural or LP gas input (3/4" N.P.T. connection) and mechanical controls.

DEAN, whose policy is one of constant improvement, reserves the right to amend specifications without prior notice.

STANDARD FEATURES

- Stainless steel fry vessel
- Stainless steel front, door and backsplash/flue cover, aluminized sides
- Wire form basket hanger and two fry baskets
5.375" x 6.375 x 12.06" (13.65 x 16.19 x 30.6 cm)
insulated handles
- Cool zone fry vessel construction
- Millivolt pilot system - requires no electrical hookup
- 6" (15 cm) adjustable steel legs

ORDERING DATA

Please specify:
Natural or propane gas
Altitude -- if above 2000 ft. (610 m)

DO NOT CURB MOUNT.

OPTIONS

- ☐ Stainless steel sides
- ☐ Casters
- ☐ See Dean Price List for optional accessories

