

Star Manufacturing International, Inc.



HOLMAN ULTRA-MAX[®] COUNTERTOP ELECTRIC CONVEYOR OVENS Model UM1833A, UM1850A & UM1850TA

Features/Benefits:

- ★ Star's Holman Ultra-Max electric conveyor ovens are designed to deliver maximum performance with minimal counter space.
- ★ Industry leading 18" wide conveyor belt, 24" baking chamber and 4" product opening accommodate a variety of products from 18" pizzas to sub sandwiches. Stainless steel conveyor belts are available in 33" or 50" lengths to meet your space and volume requirements.
- ★ Star's Holman Ultra-Max electric ovens use hot air under pressure to deliver unmatched performance and speed. Air impingement seals in moisture and flavor providing superior food quality plus the air flow design bakes more evenly than traditional ovens resulting in more consistency from the first bake to the last.
- ★ Easy-to-use electronic controls with LED display takes the guess work out of preparing meals. This technologically advanced electronic control can set the temperature and time more accurately than traditional controls, changes the belt direction for your operational needs and provides oven diagnostics.
- ★ Star's Holman Ultra-Max electric ovens can prepare a variety of menu items from pizzas to pretzels. The flexibility of our ovens can meet your breakfast, lunch and dinner demands with high quality, efficiency and speed.
- ★ Heavy-duty 6000 watt metal sheath elements, conveyor belt motor and centrifugal fan motor provide years of reliable operation.
- ★ Labor saving Holman Ultra-Max conveyor ovens are easy to operate and provide "First-In First-Out" handling of product for mass production.
- ★ Integrated fan pulls in outside air to cool control box keeping key components cooler resulting in longer life. No separate cooling fan in control compartment required adding additional cost.
- ★ Removable front panel for easy cleaning inside baking chamber and changing nozzle plates.

Applications:

Star's Holman Ultra-Max countertop electric ovens are designed for high-volume and will fit on most commercial countertops. Ovens can be stacked two high and typically do not require ventilation. Holman Ultra-Max electric ovens will meet the needs of a variety of commercial food-service operations from quick-service restaurants to convenience stores to hotel kitchens. Prepare a variety of foods from deep dish to thin crust pizza, pretzels, desserts, appetizers and more! Holman Ultra-Max electric ovens will provide the flexibility and speed your operation requires.

Quality Construction:

Star's Holman Ultra-Max countertop electric ovens are designed with highly polished stainless steel. The stainless steel conveyor belt is 18" wide by 33" or 50" long and removable for easy cleaning. Electronic control with programmable features is standard. Heavy-duty brushless drive motor and steel centrifugal fan for years of reliable operation. Ultra-Max oven comes complete with 6-50 NEMA plug and a 6' cord with oil resistant cover.

Warranty:

Star's Holman Ultra-Max electric conveyor ovens are covered by Star's one year parts and labor warranty.



UM-1833A with Optional Stand



UM-1850A with Optional Stand












Star Manufacturing International, Inc

HOLMAN ULTRA-MAX[®] COUNTERTOP ELECTRIC CONVEYOR OVENS Model UM1833A, UM1850A & UM1850TA



| Specifications | S | | | | | | | | |
|----------------|-------------------------|-------------------------|--------------------------|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|
| | Dimensions | | | Product Opening | | Cooking Surface | Cooking Chamber | Approxima | ate Weight |
| Model No. | Width Inches (cm) | Depth Inches (cm) | Height Inches (cm) | Width Inches (cm) | Height Inches (cm) | Height Inches (cm) | Length Inches (cm) | Installed Ibs (kg) | Shipping Ibs (kg) |
| UM1833A | 37.2 (76.2) | 30.4 (77.2) | 20 (50.8) | 18.9 (48.1) | 4.0 (10.2) | 10.7 (27.2) | 24.1 (61.2) | 180 (81.1) | 210 (462.0) |
| UM1850A | 50 (127.0) | 30.4 (77.2) | 20 (50.8) | 18.9 (48.1) | 4.0 (10.2) | 10.7 (27.2) | 24.1 (61.2) | 195 (88.6) | 225 (495.0) |
| UM1850TA | 50 (127.0) | 30.4 (77.2) | 20 (50.8) | 18.9 (48.1) | 4.0 (10.2) | 10.7 (27.2) | 24.1 (61.2) | 195 (88.6) | 225 (495.0) |
| Electrical Dat | а | | | | | | | | |
| Model No. | Voltage | | Watts | | Amps | NEMA | NEMA Plug | | |
| UM1833A | 208 240 | | 6400 6400 | | 32 29 | 6-50P | 6-50P | | |
| UM1850A | 208 240 | | | 6400 6400 | | 32 29 | 6-50P | 6-50P | |
| UM1850TA | 208 240 | | | 6400 6400 | | 32 29 | 6-50P | 6-50P | |

Typical Specifications

Holman Ultra-Max electric oven is constructed of stainless and aluminized steel. Oven is designed with stainless steel front panel and stainless steel clamps for access to cooking chamber, cleaning and changing of nozzle plates. Unit is designed with state-of-the-art electronic controls set time, temperature, belt direction, Fahrenheit/Celsius conversion, manager lock-out, and diagnostic feature. Large LED display provides easy-to-read panel for time, temperature and programming. Baking chamber is 24" long with 4" product opening. The stainless steel conveyor belt is 18" wide and 33" long with 9" exit shelf or 50" long with conveyor end stop. Conveyor belt is driven with a heavy-duty brushless DC reversible motor. Powerful steel centrifugal fan and motor deliver hot air to cooking ducts and motor has an Integrated fan to provide cool air for control area. 6,000 watt metal sheath element is standard. Unit is available in 208 volt and 240 volt models. 50 amp NEMA plug with 6' oil resistant cord is standard. Stainless steel control box has hinged panel for easy access in single or double configurations. Oven must have a 6" clearance from ends to any combustible material.Printed in the U.S.A.

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While Star Manufacturing exercises good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

Star Manufacturing International, Inc. - 10 Sunnen Drive - P.O. Box 430129 - St. Louis, MO 63143-3800 Phone: (800) 264-7827 - FAX: (800) 264-6666 - www.star-mfg.com